



General Services Administration  
Authorized Federal Supply Schedule Price List

Schedule: MAS Multiple Award Schedule

SIN: 334310 Professional Audio Video Products  
SIN: OLM Order Level Materials

Large Category: Office Management  
Sub-Category: Audio Visual Products

Discount Two Way Radio Corporation  
Db: ThunderPower Megaphones  
555 W. Victoria Street  
Compton CA 90220  
Tel: (323) 930 8590; (800) 895 5122  
Fax: (323) 930 8591  
[www.discounttwo-wayradio.com](http://www.discounttwo-wayradio.com)

Contract Number: GS-03F-005CA  
Contract Period: November 1<sup>st</sup> 2019 to October 31<sup>st</sup> 2024

Business size: Small Business

555 W. Victoria St, Compton CA 90220  
(323) 930 8590; (800) 895 5122  
[www.discounttwo-wayradio.com](http://www.discounttwo-wayradio.com)



### Customer Information

- 1a Awarded Special Item Number (SIN): **334310**
- 1b Lowest priced model number and lowest unit price: **Thun-3RP \$36.81**
- 1c N/A
- 2 Maximum order: **\$250,000**
- 3 Minimum order: **\$ 0**
- 4 Geographic coverage: **CONUS, AK, HI, PR, Canada, Europe, Asia**
- 5 Point(s) of production: **South Korea**
- 6 Discount from list prices: **30% off MSRP**
- 7 Quantity discounts: **51-100 units: 35% off MSRP. Over 100 units: 40% off MSRP**
- 8 Prompt payment terms: **Net 30 days**
- 9a Government purchase cards **are accepted** at or below Micro-Purchase Threshold
- 9b Government purchase cards **are accepted** above Micro-Purchase Threshold
- 10 Foreign items (list items by country of origin): **South Korea**
- 11a Time of delivery: Megaphones: **10 days ARO; all other items: 60 days ARO**
- 11b Expedited Delivery. **Contact the Company for information**
- 11c Overnight and 2-day delivery **Not available**
- 11d Urgent Requirements **Contact the Company for information**
- 12 F.O.B. points: **CONUS, AK, HI, PR**
- 13a Ordering address: **555 W. Victoria St. Compton CA 90220**
- 13b Ordering procedures and information on BPA's are found in FAR 8.405-3
- 14 Payment address: **555 W. Victoria St. Compton CA 90220**
- 15 Warranty provision: **1 year**
- 16 Export packing charges: **N/A**
- 17 Terms and conditions of Government purchase card acceptance: **None**
- 18 Terms and conditions of rental, maintenance, and repair: **N/A**
- 19 Terms and conditions of installation (if applicable): **N/A**
- 20 Terms and conditions of repair parts: **N/A**
- 20a Terms and conditions for any other services: **N/A**
- 21 List of service and distribution points: **N/A**
- 22 List of participating dealers: **N/A**
- 23 Preventive maintenance: **N/A**
- 24a Special attributes such as environmental attributes: **N/A**
- 24b Section 508 compliance: **N/A**
- 25 Data Universal Number System (DUNS) number: **799416169**
- 26 Registered at the System for Award Management (SAM) database: **3BA52**

#### THUN120 - 15 Watt Handheld Megaphone



- 15 Watts of Power • 700 yards range • Pistol-trigger switch • Siren • Whistle • Hand strap
- Volume Control • Uses 8 AA batteries.
- Dimensions: 12" length x 8" diameter bell
- Weight: 2.05 lb (no batteries) / 2.45 lb (with batteries)

With its clear sound, small and light construction, this megaphone is perfect for indoor events and smaller outdoor venues. Not to mention a price you can't pass up!

All our megaphones are tested and certified in the USA, and backed by a full 1 year, expedited in-house express warranty, so you have complete peace of mind.

**GSA Price: \$42.32**

#### THUN150 - 15 Watt Handheld Megaphone



- 15 Watts of Power • 600 yards range • Pistol-trigger switch • Siren • Whistle • Presentation Mic Included
- Volume Control • Uses 8 AA batteries.
- Dimensions: 8" length x 10" height x 5" diameter bell
- Weight: 1.65 lb (no batteries) / 2.1 lb (with batteries)

You will be amazed by how much sound comes out of such a small megaphone! Because of this, the ThunderPower 150 is an absolute hit with small schools, day care facilities and tour groups.

All our megaphones are tested and certified in the USA, and backed by a full 1 year, expedited in-house express warranty, so you have complete peace of mind.

**GSA Price: \$49.37**

### THUN250 - 20 Watt Handheld Megaphone



- 25 Watts of Power • 800 yards range • Ultra durable construction • Pistol-trigger switch
- Siren • Whistle • Volume Control • Uses 6 C batteries
- Dimensions: 15" length x 10" diameter bell • Weight: 3.8 lb (no batteries) / 4.7 lb (with batteries)

The perfect balance between power, size and weight. Megaphones this loud are usually much bigger and cost much more. If you need a megaphone for large indoor venues or medium outdoors area that is still easy to carry around then this is for you!

All our megaphones are tested and certified in the USA, and backed by a full 1 year, expedited in-house express warranty, so you have complete peace of mind.

**GSA Price: \$70.53**

### THUN450 - 35 Watts Handheld Aluminum Megaphone



- 35 Watts of Power • 1200 yards range • Ultra durable construction • Carrying strap
- Detachable Palm Mic • Siren • Whistle • Volume Control • Uses 8 C batteries.
- Dimensions: 15" L x 10" diameter bell
- Weight: 4.05 lb (no batteries) / 5.25 lb (with batteries)

An incredibly loud megaphone that is easy to carry around, with its shoulder strap and detachable palm mic. If you need to use your megaphone all day long and you need it to be LOUD then the ThunderPower 450 is the one for you!

All our megaphones are tested and certified in the USA, and backed by a full 1 year, expedited in-house express warranty, so you have complete peace of mind.

**GSA Price: \$98.74**

### THUN1200 - 45 Watts Tabletop Megaphone



- 45 Watts of Thundering Power!
- 2000 yards range • Designed for military and crowd control applications.
- Ultra durable construction • Carrying strap • Siren • Volume Control
- Auxiliary Input Jack • Cigarette plug power supply • Uses 8 C batteries
- Dimensions: 18" length x 12" diameter bell • Weight: 6.00 lb (without batteries) / 7.2 lb (with batteries)

Designed for military & crowd control applications. Auxiliary jack lets you plug in your MP3 player, microphone or other external audio source. Includes a cigarette plug power supply so you can use it from a vehicle without worrying about batteries.

All our megaphones are tested and certified in the USA, and backed by a full 1 year, expedited in-house express warranty, so you have complete peace of mind.

**GSA Price: \$169.26**

#### THUN-9120 PLUS 120W - 4 Mics, 3 External Inputs (aux)



- Power Output: 120W • 4 microphones (XRL and 5.5 plug can be used) • Phantom 24V supported for condenser microphone • 3 external Inputs (Aux) • Main Input/Pre out/Rec. out function • 4 Speaker selectors, ALL x 1
- Speaker line (70V-100V) and 4Ω, 8Ω, 16Ω • Echo delay • Chime, emergency siren • 3 band tone control volume
- Level meter displays the output condition • DC 24V connector against blackout
- Built-in type of circuit breaker against high temperature and overload • Built-in bracket for the installation of rack cabinet • Power Consumption 300 watts

Excellent reproduction capacity of music close to SR. Low-noise design for clear reproduction of original sound. Automatic shutoff protects in case of high temperature or overload. Multi-functional, high-end amplifier system for multiple purposes.

**GSA Price: \$394.23**

#### THUN-9120 PLUS 240W – 5 Mics, 3 External Inputs (aux)



- Power Output: 240W • 4 microphones (XRL and 5.5 plug can be used) • Phantom 24V supported for condenser microphone • 3 external Inputs (Aux) • Main Input/Pre out/Rec. out function • 4 Speaker selectors, ALL x 1
- Speaker line (70V-100V) and 4Ω, 8Ω, 16Ω • Echo delay • Chime, emergency siren • 3 band tone control volume
- Level meter displays the output condition • DC 24V connector against blackout
- Built-in type of circuit breaker against high temperature and overload • Built-in bracket for the installation of rack cabinet
- Power Consumption 600watts

Excellent reproduction capacity of music close to SR. Low-noise design for clear reproduction of original sound. Automatic shutoff protects in case of high temperature or overload. Multi-functional, high-end amplifier system for multiple purposes

**GSA Price: \$605.81**

**THUN-15WR - 15 Watt Horn Speaker for Harsh Environments.**



- Input Power (Rated): 15W • Input voltage: 100V line • Impedance: JE-15WR : 8Ω • Frequency Range: 350Hz-7KHz
- SPL(1w.1m): 106dB • Materials : ABS Resin

These horn speakers provide best performance in the harshest environments and give a highly articulate sound performance in any areas.

**GSA Price: \$52.05**

**THUN-20WR - 20 Watt Horn Speaker for Harsh Environments.**



- Input Power (Rated): 20W • Input voltage: 100V line • Impedance: JE-20WR : 8Ω • Frequency Range: 350Hz-7KHz
- SPL(1w.1m): 106dB • Materials : ABS Resin

These horn speakers provide best performance in the harshest environments and give a highly articulate sound performance in any areas.

**GSA Price: \$64.32**

#### **THUN-10ST - 10 Watt Horn Speaker w. Mounting Bracket for Vessels**



- Input Power (Rated): 10W
- Input voltage: 100V line
- Impedance: 1k $\Omega$ , 2k $\Omega$
- Frequency Range: 500Hz-9KHz
- SPL(1w.1m): 106dB
- Materials : ABS Resin

These horn speakers are widely used on the vessel. Once the bracket is mounted on the horn, there will be absolutely no moving.

**GSA Price: \$93.66**

#### **THUN-25ST - 25 Watt Horn Speaker w. Mounting Bracket for Vessels**



- Input Power (Rated): 25W
- Input voltage: 100V line
- Impedance: 400 $\Omega$ , 500 $\Omega$ , 600 $\Omega$ , 1k $\Omega$
- Frequency Range: 500Hz-9KHz
- SPL(1w.1m): 109dB
- Materials : ABS Resin

These horn speakers are widely used on the vessel. Once the bracket is mounted on the horn, there will be absolutely no moving.

**GSA Price: \$109.67**

**THUN-25R - 25 Watt Straight / Ultra High Powered Horn Speaker**



- Input Power (Rated): 25W • Input voltage: 100V line • Impedance: JE-25R:8Ω • Frequency Range: 250Hz~7Khz
- SPL(1w.1m): 108dB • Materials : Aluminum horn/ABS back cover

For warehouses, schools, community centers and public address service. Straight, ultra-high power horns give a highly articulate sound in a wide area or at large gatherings. Thermostable, abrasion-resistant diaphragm. Mounting bracket included.

**GSA Price: \$87.45**

**THUN-35R - 35 Watt Straight / Ultra High Powered Horn Speaker**



- Input Power (Rated): 35W • Input voltage: 100V line • Impedance: JE-35R:8Ω • Frequency Range: 250Hz~7Khz
- SPL(1w.1m): 112dB • Materials : Aluminum horn/ABS back cover

For warehouses, schools, community centers and public address service. Straight, ultra-high power horns give a highly articulate sound in a wide area or at large gatherings. Thermostable, abrasion-resistant diaphragm. Mounting bracket included.

**GSA Price: \$95.56**

**THUN-50R - 50 Watt Straight / Ultra High Powered Horn Speaker**



- Input Power (Rated): 50W • Input voltage: 100V line • Impedance: JE-50R:8Ω • Frequency Range: 250Hz~7Khz
- SPL(1w.1m): 116dB • Materials : Aluminum horn/die-casting cover

For warehouses, schools, community centers and public address service. Straight, ultra-high power horns give a highly articulate sound in a wide area or at large gatherings. Thermostable, abrasion-resistant diaphragm. Mounting bracket included.

**GSA Price: \$93.38**

**THUN-60R - 50 Watt Straight / Ultra High Powered Horn Speaker**



- Input Power (Rated): 50W • Input voltage: 100V line • Impedance: JE-60RL:8Ω • Frequency Range: 250Hz~7Khz
- SPL(1w.1m): 116dB • Materials : Aluminum horn/die-casting cover

For warehouses, schools, community centers and public address service. Straight, ultra-high power horns give a highly articulate sound in a wide area or at large gatherings. Thermostable, abrasion-resistant diaphragm. Mounting bracket included.

**GSA Price: \$127.79**

**THUN-100CS - 10 Watt Sound Column, for General Purpose Public Address**

- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 14KHz • Impedance: 4K $\Omega$ , 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 90dB • Materials : Aluminum case / ABS plastic cover • Color : White



This 10 Watt column mount P.A. speaker is designed for indoor use for lecture halls, stadium, factory, churches and Holy temple.

**GSA Price: \$79.98**

**THUN-200CS - 20 Watt Sound Column, for General Purpose Public Address**

- Input Power (Rated): 20W
- Frequency Range: 150Hz ~ 14KHz
- Impedance: 2K $\Omega$ , 1K $\Omega$ , 500 $\Omega$
- SPL(1w.1m): 92dB
- Materials : Aluminum case / ABS plastic cover
- Color : White



This 20 Watt column mount P.A. speaker is designed for indoor use for lecture halls, stadium, factory, churches and Holy temple.

**GSA Price: \$85.34**

**THUN-300CS - 30 Watt Sound Column, for General Purpose Public Address**



- Input Power (Rated): 30W • Frequency Range: 150Hz ~ 14KHz • Impedance: 1KΩ, 660Ω, 330Ω
- SPL(1w.1m): 95dB • Materials : Aluminum case / ABS plastic cover • Color : White

30-Watt, column-mount P.A. speaker designed for indoor use. For lecture halls, stadium, factory, churches and Holy temple.

**GSA Price: \$110.37**

**THUN-400CS - 40 Watt Sound Column, for General Purpose Public Address**



- Input Power (Rated): 40W
- Frequency Range: 150Hz ~ 14KHz
- Impedance: 1KΩ, 500Ω, 250Ω
- SPL(1w.1m): 96dB
- Materials : Aluminum case / ABS plastic cover
- Color : White

40-Watt, column-mount P.A. speaker designed for indoor use. For lecture halls, stadium, factory, churches and Holy temple.

**GSA Price: \$101.84**

**THUN-100WP- 10 Watt Outdoor Sound Column, for General Purpose Public Address**

- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 14KHz • Impedance: 4K $\Omega$ , 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 90dB • Materials : Aluminum case / ABS plastic cover • Color : Grey



This 10 Watt Outdoor Sound Column has a special waterproof coating. Perfect for outdoor use.

**GSA Price: \$83.78**

**THUN-200WP - 20 Watt Outdoor Sound Column, for General Purpose Public Address**

- Input Power (Rated): 20W • Frequency Range: 150Hz ~ 14KHz • Impedance: 2K $\Omega$ , 1K $\Omega$ , 500 $\Omega$
- SPL(1w.1m): 92dB • Materials : Aluminum case / ABS plastic cover • Color : Grey



This 20 Watt Outdoor Sound Column has a special waterproof coating. Perfect for outdoor use.

**GSA Price: \$90.27**

**THUN-300WP - 30 Watt Outdoor Sound Column, for General Purpose Public Address**



- Input Power (Rated): 30W • Frequency Range: 150Hz ~ 14KHz • Impedance: 1K $\Omega$ , 660 $\Omega$ , 330 $\Omega$
- SPL(1w.1m): 95dB • Materials : Aluminum case / ABS plastic cover • Color : Grey

This 30 Watt Outdoor Sound Column has a special waterproof coating. Perfect for outdoor use.

**GSA Price: \$93.09**

**THUN-400WP - 40 Watt Outdoor Sound Column, for General Purpose Public Address**



- Input Power (Rated): 40W • Frequency Range: 150Hz ~ 14KHz • Impedance: 1K $\Omega$ , 500 $\Omega$ , 250 $\Omega$
- SPL(1w.1m): 96dB • Materials : Aluminum case / ABS plastic cover • Color : Grey

This 40 Watt Outdoor Sound Column has a special waterproof coating. Perfect for outdoor use.

**GSA Price: \$87.17**

#### **THUN-2010 - 10 Watt Sound Column w. Built In 5" Speaker**



- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 14KHz • Impedance: 4K $\Omega$ , 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 90dB • Materials : All Aluminum • Color : Off-white

This 10 Watt Indoor Sound Column is designed for lecture halls, stadium, factory, churches and temple. It has smart and modern design to match the interior. The body material is aluminum and top/bottom cover is die-casting. Metal front protection grille.

**GSA Price: \$87.17**

#### **THUN-2020 - 20 Watt Sound Column w. Built In 5" Speaker**



- Input Power (Rated): 20W • Frequency Range: 150Hz ~ 14KHz • Impedance: 2K $\Omega$ , 1K $\Omega$ , 500 $\Omega$
- SPL(1w.1m): 92dB • Materials : All Aluminum • Color : Off-white

This 20 Watt Indoor Sound Column is designed for lecture halls, stadium, factory, churches and temple. It has smart and modern design to match the interior. The body material is aluminum and top/bottom cover is die-casting. Metal front protection grille.

**GSA Price: \$94.15**

**THUN-3030 - 30 Watt Sound Column w. Built In 5" Speaker**

- Input Power (Rated): 30W • Frequency Range: 150Hz ~ 14KHz • Impedance: 1K $\Omega$ , 660 $\Omega$ , 330 $\Omega$
- SPL(1w.1m): 95dB • Materials : All Aluminum • Color : Off-white



This 30 Watt Indoor Sound Column is designed for lecture halls, stadium, factory, churches and temple. It has smart and modern design to match the interior. The body material is aluminum and top/bottom cover is die-casting. Metal front protection grille.

**GSA Price: \$100.43**

**THUN-4040 - 40 Watt Sound Column w. Built in 5" Speaker**

- Input Power (Rated): 40W • Frequency Range: 150Hz ~ 14KHz • Impedance: 1K $\Omega$ , 500 $\Omega$ , 250 $\Omega$
- SPL(1w.1m): 96dB • Materials : All Aluminum • Color : Off-white



This 40 Watt Indoor Sound Column is designed for lecture halls, stadium, factory, churches and temple. It has smart and modern design to match the interior. The body material is aluminum and top/bottom cover is die-casting. Metal front protection grille.

**GSA Price:\$108.33**

**THUN-910CL - 10 Watt Outdoor Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 13KHz • Impedance: 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 90dB • Materials : Aluminum case/ABS plastic cover • Color : Brown

This 10 Watt Outdoor Sound Column is designed for lecture halls, stadium, factory, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille.

**GSA Price: \$82.94**

**THUN-920CL - 20 Watt Outdoor Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 20W • Frequency Range: 150Hz ~ 13KHz • Impedance: 1K $\Omega$ , 500 $\Omega$
- SPL(1w.1m): 92dB • Materials : Aluminum case/ABS plastic cover • Color : Brown

This 20 Watt Outdoor Sound Column is designed for lecture halls, stadium, factory, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille.

**GSA Price: \$100.50**

**THUN-930CL - 30 Watt Outdoor Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 30W • Frequency Range: 150Hz ~ 13KHz • Impedance: 660Ω, 330Ω
- SPL(1w.1m): 95dB • Materials : Aluminum case/ABS plastic cover • Color : Brown

This 30 Watt Outdoor Sound Column is designed for lecture halls, stadium, factory, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille.

**GSA Price: \$109.45**

**THUN-940CL - 40 Watt Outdoor Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 40W • Frequency Range: 150Hz ~ 13KHz • Impedance: 500Ω, 250Ω
- SPL(1w.1m): 96dB • Materials : Aluminum case/ABS plastic cover • Color : Brown

This 40 Watt Outdoor Sound Column is designed for lecture halls, stadium, factory, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille.

**GSA Price: \$137.66**

**THUN-710 - 10 Watt Column Speaker with Slim & Narrow Design. Metal Front Protection Grille**



- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 13KHz • Impedance: 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 90dB • Materials : Aluminum case/ABS plastic cover • Color : White

This 10 Watt Indoor Sound Column is designed for use in halls, stadiums, factories, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille. Slim & narrow design

**GSA Price: \$76.52**

**THUN-720 - 20 Watt Column Speaker with Slim & Narrow Design. Metal Front Protection Grille**



- Input Power (Rated): 20W • Frequency Range: 150Hz ~ 13KHz • Impedance: 1K $\Omega$ , 500 $\Omega$
- SPL(1w.1m): 95dB • Materials : Aluminum case/ABS plastic cover • Color : White

This 20 Watt Indoor Sound Column is designed for use in halls, stadiums, factories, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille. Slim & narrow design

**GSA Price: \$110.02**

**THUN-730 - 30 Watt Column Speaker with Slim & Narrow Design. Metal Front Protection Grille**



- Input Power (Rated): 30W • Frequency Range: 150Hz ~ 13KHz • Impedance: 660Ω, 330Ω
- SPL(1w.1m): 96dB • Materials : Aluminum case/ABS plastic cover • Color : White

This 30 Watt Indoor Sound Column is designed for use in halls, stadiums, factories, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille. Slim & narrow design

**GSA Price: \$121.02**

**THUN-740 - 40 Watt Column Speaker with Slim & Narrow Design. Metal Front Protection Grille**



- Input Power (Rated): 40W • Frequency Range: 150Hz ~ 13KHz • Impedance: 500Ω, 250Ω
- SPL(1w.1m): 97dB • Materials : Aluminum case/ABS plastic cover • Color : White

This 40 Watt Indoor Sound Column is designed for use in halls, stadiums, factories, churches and temples. The body material is aluminum and top/bottom cover is ABS resin. Metal front protection grille. Slim & narrow design

**GSA Price: \$152.62**

**THUN-10CSWR- 10 Watt Round Type Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 13KHz • Impedance: 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 90dB • Materials : Aluminum • Color : Grey

This 10 Watt Sound Column is designed for use in mosques, temples, churches, conference rooms, hotels, auditoriums, lecture Halls, warehouses, schools, community centers. The body material is aluminum and top/bottom cover is die-cast. Metal front protection grille. Round type column. Built In 3" Speaker (10W) + 1 Tweeter.

**GSA Price: \$87.17**

**THUN-20CSWR - 20 Watt Round Type Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 120W • Frequency Range: 150Hz ~ 13KHz • Impedance: 1K $\Omega$ , 500 $\Omega$
- SPL(1w.1m): 92dB • Materials : Aluminum • Color : Grey

This 20 Watt Sound Column is designed for use in mosques, temples, churches, conference rooms, hotels, auditoriums, lecture Halls, warehouses, schools, community centers. The body material is aluminum and top/bottom cover is die-cast. Metal front protection grille. Round type column. Built In 3" Speaker (10W) + 1 Tweeter.

**GSA Price: \$93.80**

**THUN-30CSWR - 30 Watt Round Type Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 30W • Frequency Range: 150Hz ~ 13KHz • Impedance: 660Ω, 330Ω
- SPL(1w.1m): 95dB • Materials : Aluminum • Color : Grey

This 30 Watt Sound Column is designed for use in mosques, temples, churches, conference rooms, hotels, auditoriums, lecture Halls, warehouses, schools, community centers. The body material is aluminum and top/bottom cover is die-cast. Metal front protection grille. Round type column. Built In 3" Speaker (10W) + 1 Tweeter.

**GSA Price: \$104.38**

**THUN-40CSWR - 40 Watt Round Type Column Speaker with Metal Front Protection Grille**



- Input Power (Rated): 40W • Frequency Range: 150Hz ~ 13KHz • Impedance: 500Ω, 250Ω
- SPL(1w.1m): 96dB • Materials : Aluminum • Color : Grey

This 40 Watt Sound Column is designed for use in mosques, temples, churches, conference rooms, hotels, auditoriums, lecture Halls, warehouses, schools, community centers. The body material is aluminum and top/bottom cover is die-cast. Metal front protection grille. Round type column. Built In 3" Speaker (10W) + 1 Tweeter.

**GSA Price: \$113.69**

**THUN-303R - 3W Spring Clamp Type Ceiling Speaker, Built-in 6.5" Speaker**



- Input Power (Rated): 3W • Frequency Range: 150Hz ~ 14KHz • Impedance: 5K $\Omega$ , 3.3K $\Omega$
- SPL(1w.1m): 90dB • Materials : ABS Resin / Steel • Color : White

3W Spring Clamp Type Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System. ABS Resin/Steel (White).

**GSA Price: \$44.01**

**THUN-305R - 5W Spring Clamp Type Ceiling Speaker, built-in 6.5" Speaker.**



- Input Power (Rated): 5W • Frequency Range: 150Hz ~ 14KHz • Impedance: 3.3K $\Omega$ , 2K $\Omega$
- SPL(1w.1m): 92dB • Materials : ABS Resin / Steel • Color : White

5W Spring Clamp Type Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System. ABS Resin/Steel (White).

**GSA Price: \$46.12**

**THUN-310R - 10W Spring Clamp Type Ceiling Speaker, built-in 6.5" Speaker.**



- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 14KHz • Impedance: 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 93dB • Materials : ABS Resin / Steel • Color : White

10W Spring Clamp Type Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System. ABS Resin/Steel (White).

**GSA Price: \$47.39**

**THUN-3RA - 3W Ceiling Speaker - Built In 6.5" Speaker.**



- Input Power (Rated): 3W • Frequency Range: 150Hz ~ 14KHz • Impedance: 5K $\Omega$ , 3.3K $\Omega$  SPL(1w.1m): 90dB
- Materials : Aluminum • Color : White

3W Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System.

**GSA Price: \$47.39**

**THUN-5RA - 5W Ceiling Speaker , Built In 6.5" Speaker**



- Input Power (Rated): 5W • Frequency Range: 150Hz ~ 14KHz • Impedance: 3.3KΩ, 2KΩ
- SPL(1w.1m): 92dB • Materials : Aluminum • Color : White

5W Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System.

**GSA Price: \$52.47**

**THUN-10RA - 10W Ceiling Speaker, Built In 6.5" Speaker**



- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 14KHz • Impedance: 2KΩ, 1KΩ
- SPL(1w.1m): 93dB • Materials : Aluminum • Color : White

10W Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System.

**GSA Price: \$54.16**

**THUN-3RP - 3W Ceiling Speaker - Built In 6.5" Speaker.**



- Input Power (Rated): 3W • Frequency Range: 150Hz ~ 14KHz • Impedance: 5KΩ, 3.3KΩ
- SPL(1w.1m): 90dB • Materials : ABS Resin • Color : White

3W Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System.

**GSA Price: \$36.81**

**THUN-5RP - 5W Ceiling Speaker - Built In 6.5" Speaker.**



- Input Power (Rated): 5W • Frequency Range: 150Hz ~ 14KHz • Impedance: 3.3KΩ, 2KΩ
- SPL(1w.1m): 92dB • Materials : ABS Resin • Color : White

5W Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System.

**GSA Price: \$38.08**

**THUN-10RP- 10W Ceiling Speaker, Built In 6.5" Speaker.**



- Input Power (Rated): 10W • Frequency Range: 150Hz ~ 14KHz • Impedance: 2K $\Omega$ , 1K $\Omega$
- SPL(1w.1m): 93dB • Materials : ABS Resin • Color : White

10W Ceiling Speaker with Built In 6.5" Speaker for General Purpose Public Address System.

**GSA Price: \$38.93**

**THUN-5WB - 5W Wall Speaker with Built In 6.5" Speaker**



- Input(Rated): 150Hz-14KHz • Impedance: 3.3K $\Omega$ , 2K $\Omega$  • SPL(1w.1m): 93dB
- Materials: Wood • Color: Brown • Built in 6.5" speaker • Input voltage : 100V line

Use at department store, shopping mall center, hospitals, building and other similar occasions

5W Wall Speaker with Built In 6.5" Speaker

**GSA Price: \$47.39**

**THUN-10WB - 10W Wall Speaker with Built In 6.5" Speaker**



- Input(Rated): 150Hz-14KHz • Impedance: 2K $\Omega$ , 1K $\Omega$  • SPL(1w.1m): 93dB
- Materials: Wood • Color: Brown • Built in 6.5" speaker • Input voltage : 100V line

Use at department store, shopping mall center, hospitals, building and other similar occasions

10W Wall Speaker with Built In 6.5" Speaker

**GSA Price: \$48.24**

**THUN-301 - Dynamic Microphone, Aluminum**



- Type: dynamic • Impedance: 600 $\Omega$  • Sensitivity: -66dB 20dB(0dB = 1V/0.1Pa, 1KHz)
- Frequency: 20Hz ~ 20KHz • Material: Aluminum (190g)

**GSA Price:\$41.47**

**THUN-501 - Dynamic Microphone, Die-Casting Alloy**



- Type: dynamic • Impedance: 600Ω • Sensitivity: -66dB 20dB(0dB = 1V/0.1Pa, 1KHz)
- Frequency: 20Hz ~ 20KHz • Material: die-casting alloy (280g)

**GSA Price: \$59.66**

**THUN-601 - Condenser Microphone, Die-Casting Alloy**



- Type: dynamic • Impedance: 600Ω • Sensitivity: -66dB 20dB(0dB = 1V/0.1Pa, 1KHz)
- Frequency: 20Hz ~ 20KHz • Material: die-casting alloy Die-Casting Alloy (280g)

**GSA Price: \$77.44**



#### THUN-AKG-2 - Microphone Desktop Stand



Microphone Desktop Stand - 4kg

**GSA Price: \$104.66**

#### THUN-001 - Microphone Floor Stand



Microphone Floor Stand - 3kg.  
Setup Height: 910-1650mm

**GSA Price: \$82.16**



#### **THUN-007 - Boom Microphone Floor Stand**



Boom Microphone Floor Stand - 5kg.  
Setup Height: 1100-1820mm

**GSA Price: \$119.61**